

| | Hits | Search Text | DBs |
|---|-------|--|---|
| 1 | 11456 | ((growth\$1 or expand\$1) with (trend\$1 or analysis or estimat\$4)) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 8710 | 11 and (@ad < "20010919") | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 159 | L2 and ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 2 | 13 and (key\$1 with range\$1) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 16811 | ((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS. | USPAT |
| 6 | 9 | 13 and 15 | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 115 | ((growth\$1 or expand\$1) with (statistics)) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 8 | 75 | 17 and (@ad < "20010919") | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 6 | 18 and 15 | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 17 | key\$1 with range\$1 with statistics | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 13 | 110 and (@ad < "20010919") | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 0 | 111 and (growth\$1 and expand\$1) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 0 | 113 and free | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 7 | 111 and (growth\$1 or expand\$1) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 15 | 2 | statstime and (@ad < "20010919") | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 3938 | ((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) same ((start\$4 or begin\$4) with time)) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 0 | 116 and ((key\$1 with range\$1) same ((growth\$1 or expand\$1) with statistics)) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 0 | 116 and ((key\$1 with range\$1) same ((growth\$1 or expand\$1) same statistics)) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 0 | 116 and ((key\$1 with range\$1) same statistics) and (growth\$1 or expand\$1) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 7 | 116 and key\$1 and (range\$1 same statistics) and (growth\$1 or expand\$1) | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|-------|--|---|
| 1 | 17589 | ((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 16668 | ((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS. | USPAT |
| 3 | 273 | ((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 270 | (((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|--|---|
| 5 | 147 | (((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 2932 | ((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 11 | (((((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)) and (@ad < "20010919")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 15 | ((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 9 | 2 | (((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and ((key\$1 or id\$1 or identifier\$1 or pointer\$1) with range\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 2 | (((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (key\$1 same | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 11 | 12 | ((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 2 | ((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)) and (@ad < "2001091 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 13 | 2 | (((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (key\$1 with | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 14 | 13 | ((((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)) not ((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 15 | 49 | ("5680607") or ("6049802") or ("6420526") or ("6393569") or ("6405132") or ("6105024") or ("6144970") or ("6154746") or ("6530008") or ("6668263") or ("4863111") or ("4920773") or ("5600742") or ("4316626") or ("4371279") or ("4459833") or ("4563133") or ("4782675") or ("5302013") or ("5528916") or ("5647158") or ("5653589") or ("5735148") or ("5816985") or ("5864625") or ("6247641") or ("6287765") or ("6070240") or ("6215748") or ("6215748") or ("6420127") or ("4933880") or ("5195046") or ("6711287") or ("4819156") or ("5222235") or ("5404510") or ("6088649") or ("6102286") or ("6292830") or ("6389468") or ("6453360") or ("6493699") or ("4588017") or ("4271037") or ("4494634") or ("4538664") or ("5225652") or ("5249302") or ("5250893")) .PN. | USPAT |
| 16 | 2 | ((creat\$4 or generat\$4) with (key adj range\$1)) same table\$1 same index\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 17 | 5 | ((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 6 | ((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 5 | ((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page\$1) and (@ad < "20010919") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 19 | ((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 14 | ((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) not (((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page\$1) and (@ad < | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 1 | "create keyrangeset" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|-------|--|---|
| 23 | 2 | ((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with (free\$1space\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 237 | ((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | 2 | (((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 1 | "6144970".PN. | USPAT |
| 27 | 201 | (((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 16811 | ((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS. | USPAT |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 29 | 14 | (((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 30 | 12 | ((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) not ((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) a | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 31 | 0 | ((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) and ((growth\$1 or expand\$1) with (| USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 32 | 20 | (((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|---|---|
| 1 | 2 | ((creat\$4 or generat\$4) with (key adj range\$1)) same table\$1 same index\$3 | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 5 | 15 and page | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 6 | 15 and page\$1 | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 5 | 17 and (@ad < "20010919") | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 19 | ((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3 | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 14 | 15 not 18 | USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB |